swissporton



PRICE AND PRODUCT CATALOG

2026



Valid from: 01.07.2026



CONTENTS

INTERLOCKING TILES	PRODUCT OVERVIEW	
	ROOF TILE MODELS	6
CERAMIC ROOF TILES		
	„CLASSIC“ ROUNDED CUT	8
	„CLASSIC“ STRAIGHT CUT	10
	„CLASSIC“ SEGMENT CUT	11
	„CLASSIC“ POINTED CUT	12
	„CASTA“ ROUND CUT	13
	„CASTA“ HONEYCOMB CUT	13
	„AUSTRIAN BIBER“ ROUNDED CUT	14
	„AUSTRIAN BIBER“ VIENNA CUT	15
	„KERKA“ STRAIGHT CUT	16
	„KERKA“ SEGMENT CUT	17
	„PROFIL“	18
	„RONA“ SEGMENT CUT	19
	„RONA“ STRAIGHT CUT	20
	„BALANCE“	22
	„RAPIDO“	24
	„NOMINA“	26
	„GENEVO“	28
	„NIVELO“	29
	„MAXIMA PRO“	30
	„TITANIA“	32
	„SIMPLA“	34
TECHNICAL INFORMATION		
	TECHNICAL SPECIFICATIONS FOR BEAVER-TAIL / TONGUE-AND-GROOVE ROOF TILES	36
	TECHNICAL DATA – PRESSED ROOF TILES	38
SYSTEM ACCESSORIES		
	ALUMINUM ROOFING SYSTEM / UNIVERSAL ROOF ACCESSORY SYSTEMS / ROOF SAFETY SYSTEMS	41
	RIDGE FIXING SYSTEMS / ROOF TILE FIXING SYSTEMS	42
	OTHER ACCESSORIES	43
UNIVERSAL ACCESSORIES FOR swissporTON TILES		
	ABOVE-RAFTER THERMAL INSULATION	44
	ABOVE-RAFTER THERMAL INSULATION	46
	UNDERLAYS	48

This price list is for informational purposes only and does not constitute a binding offer. Sales are subject to available stock and production capacity. swissporTON reserves the right to modify prices, technical specifications, packaging units, and the product range.

The technical data and quantities indicated are for informational purposes. Images and color samples are for illustrative purposes only. This price list and all sales are governed by swissporTON's current General Terms and Conditions of Delivery and Sale: https://www.swissporTON.bg/termeni-si-conditii-generale



Product range of ceramic roof tiles

Perfect materials

This material has been used for over 6,000 years. 138 years experience in manufacturing, the most modern manufacturing equipment, high-quality raw materials and our colleagues' expertise- these are the basics of our success.





Weather-resistant safety

Protection against harsh weather conditions is the result of the industrial design. The precise interlocking system and the wide range of accessories ensure the durability and weather resistance of the entire roofing system.



Natural and environmentally friendly

The noble ceramic roof tile is consist of the four ancient elements, which contributes to the future's safety with environmentally friendly production technology and most favorable ecobalance.



Variegation, creativity

With more than 1,200 colors and shape combinations, hardly any two roofs are alike.



Burnt durability and protect

During firing, the engobe becomes part of the ceramic roof tile surface, it makes the roof durable, beautiful and at the same time it provides protection against the environmental impacts



Product portfolio

„CLASSIC“ ROUNDED CUT 8/9

Minimum covering capacity: 33,7 pcs/m²



natural red	antique engobed	brick red engobed	copper red engobed	wine red engobed	dark brown engobed	slate grey engobed	black engobed	black matte engobed

„CLASSIC“ STRAIGHT CUT 10

Minimum covering capacity: 33,7 pcs/m²



natural red	copper red engobed

„CLASSIC“ SEGMENT CUT 11

Minimum covering capacity: 33,7 pcs/m²



natural red	copper red engobed

„CLASSIC“ POINTED CUT 12

Minimum covering capacity: 33,7 pcs/m²



natural red	antique engobed

„CASTA“ ROUNDED CUT AND HONEYCOMB CUT 13

Minimum covering capacity: 35,7 pcs/m²



natural red	dark brown engobed	natural red	dark brown engobed

„AUSTRIAN BIBER“ ROUNDED CUT 14

Minimum covering capacity: 28,6 pcs/m²



natural red

„AUSTRIAN BIBER“ VIENNA CUT 15

Minimum covering capacity: 28,6 pcs/m²



natural red

„KERKA“ STRAIGHT CUT 16

Minimum covering capacity: 17,4 pcs/m²



natural red	copper red engobed

„KERKA“ SEGMENT CUT 17

Minimum covering capacity: 18,2 pcs/m²



natural red	copper red engobed

„PROFIL“ 18

Minimum covering capacity: 18,2 pcs/m²



natural red	copper red engobed	black engobed	black matte engobed

„RONA“ SEGMENT CUT 19

Minimum covering capacity: 19,8 pcs/m²



natural red	natural red flamed	copper red engobed	black matte engobed

„RONA“ STRAIGHT CUT 20/21

Minimum covering capacity: 17,4 pcs/m²



natural red	copper red engobed	dark brown engobed	slate grey engobed	black matte engobed

„BALANCE“ 22/23

Minimum covering capacity: 8,4 pcs/m²



natural red	toscana engobed	copper red engobed	dark brown engobed	slate grey engobed	black engobed	black matte engobed

„RAPIDO“ 24/25

Minimum covering capacity: 8,1 pcs/m²



natural red	brick red engobed	copper red engobed	wine red engobed	dark brown engobed	slate grey engobed	black engobed	black matte engobed

„NOMINA“ 26/27

Minimum covering capacity: 8,2 pcs/m²



copper red engobed	dark brown engobed	slate grey engobed	black engobed	black matte engobed

„GENEVO“ 28

Minimum covering capacity: 9,8 pcs/m²



natural red	copper red engobed	dark grey matt engobed	slate grey engobed

„NIVELO“ 29

Minimum covering capacity: 9,8 pcs/m²



natural red	brown matt engobed	light grey matt engobed	dark grey matt engobed	black matt engobed

„MAXIMA PRO“ 30/31

Minimum covering capacity: 9,5 pcs/m²



copper red engobed	slate grey engobed	black matte engobed	black glazed

„TITANIA“ 32/33

Minimum covering capacity: 9 pcs/m²



copper red engobed	black matte engobed	brown glazed	slate grey glazed	black glazed	brown ICON glazed

„SIMPLA“ 34/35

Minimum covering capacity: 10,4 pcs/m²



slate grey engobed	black matte engobed	slate grey glazed	black glazed

„CLASSIC“ ROUNDED CUT

18 × 38 × 1,4 cm



Production Plant: Lenti
Weight/pallet: approx. 889 kg

Base tile	pcs/pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)		ENGOBED			
				natural red	antique engobed	brick red engobed	copper red engobed	wine red engobed
Base tile	480	8	33,7	1,22	1,74	1,74	1,34	1,74
				41,11	58,64	58,64	45,16	58,64
Ceramic accessories				**Price EUR/pcs.**				
1. Half tile	960	16	-	1,48	1,48	-	1,50	-
2. 3/4 tile	480	8	-	1,97	2,00	2,00	2,07	2,00
3. Ridge connection tile	480	8	5,5	1,97	2,07	2,07	2,09	2,07
4. Eave tile	480	8	5,5	1,97	2,07	2,07	2,09	2,07
5. Ventilation ridge connection tile, LQ10	360	10	5,5	4,57	4,94	4,94	5,03	4,94
6. Ventilation base tile LQ10	360	6	5,5	4,57	4,94	4,94	5,03	4,94
7. Ventilation tile LQ 25	144	2	-	21,97	22,82	22,82	23,31	22,82
Ridge tiles and accessories				**Price EUR/pcs.**				
8. Ridge tile LH	192	4	3	13,17	14,87	14,87	14,87	14,58
9. Closing plate LH	192			13,71	13,71	13,71	13,71	-
10. Hip starter LH	80	-	-	21,71	21,76	21,83	21,76	21,47
11. Hip cap tile, 3 axis	90	-	-	165,00	175,98	175,98	175,98	177,16
12. Hip cap tile, 4 axis	90			329,96	-	-	351,76	354,19
Roof outlet tiles				**Price EUR/pcs.**				
13. Ventilation outlet tile 110	8	-	-	179,93	-	176,36	179,93	-
14. Ventilation outlet tile 125	8	-	-	203,64	-	-	203,64	199,69
15. Ventilation outlet tile 150	8	-	-	244,47	-	-	-	-
16. Ventilation outlet tile 200	8	-	-	244,47	-	-	-	-
17. Antenna outlet set, max. 60 mm	8	-	-	152,76	149,82	-	152,76	-
18. Solar outlet set, max. 70 mm	-	-	-	-	181,98	-	181,98	-
19. Flue pipe outlet, 110/125 mm	8	-	-	153,09	-	-	153,09	-
Aluminium system accessories				**Price EUR/pcs.**				
20. Aluminium base tile	270	15	-	58,25	58,25	58,25	58,25	58,25

ENGOBED				
dark brown engobed	slate grey engobed	black engobed	black matt engobed	
1,74	1,74	1,53	1,53	
58,64	58,64	51,56	51,56	
-	-	1,50	1,50	
2,00	2,00	2,07	2,07	
2,07	2,07	2,09	2,09	
2,07	2,07	2,09	2,09	
4,94	6,28	5,03	5,03	
4,94	5,03	5,03	5,03	
22,82	27,92	23,31	23,31	
15,38	15,38	14,98	15,38	
13,71	-	13,92	13,71	
24,68	24,68	23,99	24,68	
177,16	215,00	180,56	180,56	
354,19	430,02	-	-	
-	-	179,93	179,93	
-	-	-	203,64	
-	-	244,47	-	
-	-	-	-	
-	-	152,76	152,76	
-	-	178,45	178,45	
-	-	153,09	153,09	
58,25	58,25	58,25	58,25	





1. 2. 3. 4. 5. 6. 7.



8.

11.



13. 17. 18. 19

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„CLASSIC" STRAIGHT CUT

18 × 38 × 1,4 cm

Production Plant: Lenti
Weight/pallet: approx. 937 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	ENGOBED copper red engobed
Base tile	480	8	33,7	1,90	2,05
				64,03	69,08

Ceramic accessories					Price EUR/pcs.	
1.	Half tile	360	10	-	2,24	2,33
2.	3/4 tile	640	8	-	2,24	-
3.	5/4 tile	480	8	-	2,37	-
4.	Eave tile	480	8	5,5	1,97	2,09
5.	Ventilation ridge connection tile, LQ10	360	10	5.5	7,95	-
6.	Ventilation eave tile, LQ10	360	10	5.5	7,95	-
7.	Ventilation base tile LQ10	360	10	5.5	22,30	-
8.	Ventilation tile LQ 25	360	10	-	22,30	22,76
9.	Verge tile, 3/4 (side plate cc. 11 cm), left	120	2	3,3	23,07	-
10.	Verge tile, 3/4 (side plate cc. 11 cm), right	120	2	3,3	23,07	-
11.	Verge tile, 5/4 (side plate cc. 11 cm), left	60	2	3,3	23,07	-
12.	Verge tile, 5/4 (side plate cc. 11 cm), right	60	2	3,3	23,07	-

Ridge tiles and accessories					Price EUR/pcs.	
13.	Ridge tile LH	90	4	3	13,17	14,87
14.	Closing plate LH	192	-	-	13,71	13,71
15.	Hip starter LH	80	-	-	21,71	21,76
16.	Hip cap tile, 3 axis	90	-	-	165,00	175,98
17.	Hip cap tile, 4 axis	90	-	-	329,96	351,76

Roof outlet tiles					Price EUR/pcs.	
18.	Ventilation outlet tile 110	8	0	-	544,20	557,78
19.	Ventilation outlet tile 125	8	0	-	616,25	631,28
20.	Antenna outlet set, max. 60 mm	8	-	-	149,14	152,76
21.	Solar outlet set, max. 70 mm	8	-	-	175,95	180,79
22.	Flue pipe outlet, 110/125 mm	8	-	-	162,55	167,39



2. 4. 7. 12. 14. 15.

„CLASSIC" SEGMENT CUT

18 × 38 × 1,4 cm

Production Plant: Lenti
Weight/pallet: approx. 937 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	ENGOBED copper red engobed
Base tile	480	8	33,7	1,50	1,53
				50,55	51,56

Ceramic accessories					Price EUR/pcs.	
1.	Half tile	960	16	-	1,72	1,79
2.	3/4 tile	640	8	-	1,72	-
3.	5/4 tile	480	8	-	6,79	-
4.	Ridge connection tile	480	8	5,5	1,72	1,79
5.	Eave tile	480	8	5,5	1,97	2,09
6.	Ventilation ridge connection tile, LQ10	360	10	5.5	7,57	7,95
7.	Ventilation eave tile, LQ10	360	10	5.5	7,95	5,03
8.	Ventilation base tile LQ10	360	10	5.5	7,57	7,95
9.	Ventilation tile LQ 25	304	36	-	22,30	23,85
10.	Verge tile, 3/4 (side plate cc. 11 cm), left	112	-	3,3	23,07	24,68
11.	Verge tile, 3/4 (side plate cc. 11 cm), right	112	-	3,3	23,07	24,68
12.	Verge tile, 5/4 (side plate cc. 11 cm), left	-	-	3,3	23,07	24,68
13.	Verge tile, 5/4 (side plate cc. 11 cm), right	-	-	3,3	23,07	24,68

Ridge tiles and accessories					Price EUR/pcs.	
14.	Ridge tile LH	90	4	3	13,17	14,87
15.	Closing plate LH	192	-	-	13,71	13,71
16.	Hip starter LH	80	-	-	21,71	21,76
17.	Hip cap tile, 3 axis	90	-	-	165,00	175,98
18.	Hip cap tile, 4 axis	90	-	-	329,96	351,76

Roof outlet tiles					Price EUR/pcs.	
19.	Ventilation outlet tile 110	-	-	-	-	557,78
20.	Ventilation outlet tile 125	8	0	-	631,28	631,28
21.	Antenna outlet set, max. 60 mm	8	-	-	152,76	152,76
22.	Solar outlet set, max. 70 mm	8	-	-	180,80	180,80
23.	Flue pipe outlet, 110/125 mm	8	-	-	518,91	167,39

Aluminium system accessories					Price EUR/pcs.	
24.	Aluminium base tile	350	25	-	58,25	58,25



2. 9. 14. 16. 17.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„CLASSIC“ POINTED CUT

18 × 38 × 1,4 cm

Production Plant: Lenti
Weight/pallet: approx. 841 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	antique engobed
					ENGOBED
Base tile	480	8	33,7	1,19	1,34
				40,10	45,16

Ridge tiles and accessories					Price EUR/pcs.	
1.	Ridge tile LH	192	4	3	13,17	14,87
2.	Closing plate LH	192	-	-	13,71	13,71
3.	Hip starter LH	80	-	-	21,71	21,76
4.	Hip cap tile, 3 axis	90	-	-	165,00	175,98
5.	Hip cap tile, 4 axis	90	-	-	329,96	-



„CASTA“ ROUNDED CUT

17 × 38 × 1,8 cm

Production Plant: Lenti
Weight/pallet: approx. 1008 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	dark brown engobed
					ENGOBED
Base tile	480	6	35,7	1,72	1,80
				61,40	64,26

Ceramic accessories					Price EUR/pcs.	
1.	Half tile	480	6	-	3,06	3,12
2.	3/4 tile	640	8	-	2,53	2,73
3.	Ridge connection tile	480	8	5,9	2,75	2,79
4.	Eave tile	480	8	5,9	2,56	2,61
5.	Ventilation base tile LQ9	640	8	5.9	3,06	3,12

Ridge tiles and accessories					Price EUR/pcs.	
6.	Ridge tile LH	192	4	3	13,17	15,38
7.	Closing plate LH	192	-	-	13,71	13,71
8.	Hip starter LH	80	-	-	21,71	24,68
9.	Hip cap tile, 3 axis	90	-	-	165,00	177,16
10.	Hip cap tile, 4 axis	90	-	-	329,96	354,19

„CASTA“ HONEYCOMB CUT

17 × 38 × 1,8 cm

Production Plant: Lenti
Weight/pallet: approx. 1008 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	dark brown engobed
					ENGOBED
Base tile	480	6	35,7	1,72	1,80
				61,40	64,26

Ceramic accessories					Price EUR/pcs.	
1.	Half tile	480	6	-	3,06	3,12
2.	3/4 tile	640	8	-	2,94	3,12
3.	Ridge connection tile	480	8	5,9	3,12	3,17
4.	Eave tile	480	8	5,9	2,56	2,61
5.	Ventilation base tile LQ9	640	8	5.9	3,06	3,12

Ridge tiles and accessories					Price EUR/pcs.	
6.	Ridge tile LH	192	4	3	13,17	15,38
7.	Closing plate LH	192	-	-	13,71	13,71
8.	Hip starter LH	80	-	-	21,71	24,68
9.	Hip cap tile, 3 axis	90	-	-	165,00	177,16
10.	Hip cap tile, 4 axis	90	-	-	329,96	354,19

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„AUSTRIAN BIBER“ ROUNDED CUT

20 × 40 × 1,4 cm



natural red

Production Plant: Lenti
Weight/pallet: approx. 1056 kg

Base tile		pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	
Base tile		480	8	28,6	1,37
					39,18
Ceramic accessories					**Price EUR/pcs.**
1.	3/4 tile	640	8	-	1,79
2.	Ridge connection tile	480	8	5	1,79
3.	Eave tile	480	8	5	1,79
4.	Ventilation base tile LQ10	480	8	5	6,77
Ridge tiles and accessories					**Price EUR/pcs.**
5.	Ridge tile LH	192	4	3	13,17
6.	Closing plate LH	192	-	-	13,71
7.	Hip starter LH	80	-	-	21,71
8.	Hip cap tile, 3 axis	90	-	-	165,00
9.	Hip cap tile, 4 axis	90	-	-	329,96
Roof outlet tiles					**Price EUR/pcs.**
10.	Ventilation outlet tile 110	8	-	-	175,18
11.	Ventilation outlet tile 125	8	-	-	198,29
12.	Ventilation outlet tile 150	8	-	-	238,00
13.	Ventilation outlet tile 200	8	-	-	244,47
14.	Antenna outlet set, max. 60 mm	8	-	-	148,74
15.	Solar outlet set, max. 70 mm	8	-	-	151,66
Aluminium system accessories					**Price EUR/pcs.**
16.	Aluminium base tile	400	25	-	58,25

„AUSTRIAN BIBER“ VIENNA CUT

20 × 40 × 1,4 cm



natural red

Production Plant: Lenti
Weight/pallet: approx. 1110 kg

Base tile		pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	
Base tile		480	8	28,6	1,37
					39,18
Ceramic accessories					**Price EUR/pcs.**
1.	3/4 tile	640	8	-	1,79
2.	Eave tile	480	8	5	1,79
3.	Ventilation base tile LQ10	480	8	5	6,77
4.	Ventilation tile LQ 25	304	-	-	19,95
Ridge tiles and accessories					**Price EUR/pcs.**
5.	Ridge tile LH	192	4	3	13,17
6.	Closing plate LH	192	-	-	13,71
7.	Hip starter LH	80	-	-	21,71
8.	Hip cap tile, 3 axis	90	-	-	165,00
9.	Hip cap tile, 4 axis	90	-	-	329,96
Roof outlet tiles					**Price EUR/pcs.**
10.	Ventilation outlet tile 110	8	-	-	173,72
11.	Ventilation outlet tile 125	8	-	-	196,65
12.	Ventilation outlet tile 150	8	-	-	236,02
13.	Antenna outlet set, max. 60 mm	8	-	-	147,51
14.	Flue pipe outlet, 110/125 mm	8	-	-	149,49
Aluminium system accessories					**Price EUR/pcs.**
15.	Aluminium base tile	400	25	-	58,25



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„KERKA“ STRAIGHT CUT

20,5 × 40 × 2,1 cm



Production Plant: Lenti
Weight/pallet: approx. 1008 kg

Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)		ENGOBED
				natural red	copper red engobed
Base tile	324	6	17,4	1,46	1,50
				25,40	26,10

Ceramic accessories					Price EUR/pcs.	
1.	Ventilation tile LQ 25	128	4	-	14,56	14,91

Ridge tiles and accessories					Price EUR/pcs.	
2.	Ridge tile LH	192	4	3	13,17	14,87
3.	Closing plate LH	192	-	-	13,71	13,71
4.	Hip starter LH	80	-	-	21,71	21,76
5.	Hip cap tile, 3 axis	90	-	-	165,00	175,98
6.	Hip cap tile, 4 axis	90	-	-	329,96	351,76

„KERKA“ SEGMENT CUT

20,5 × 40 × 2,1 cm



Production Plant: Lenti
Weight/pallet: approx. 1008 kg

Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)		ENGOBED
				natural red	copper red engobed
Base tile	324	6	18,2	1,46	1,50
				26,57	27,30

Ceramic accessories					Price EUR/pcs.	
1.	Ventilation tile LQ 25	128	4	-	14,58	14,91

Ridge tiles and accessories					Price EUR/pcs.	
2.	Ridge tile LH	192	4	3	13,17	14,87
3.	Closing plate LH	192	-	-	13,71	13,71
4.	Hip starter LH	80	-	-	21,71	21,76
5.	Hip cap tile, 3 axis	90	-	-	165,00	175,98
6.	Hip cap tile, 4 axis	90	-	-	329,96	351,76



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„PROFIL“

20,5 × 40 × 2,1 cm

Production Plant: Lenti
Weight/pallet: approx. 813 kg



					ENGOBED		
				natural red	copper red engobed	black engobed	black matt engobed
Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)				
Base tile	324	6	18,2	1,46	1,50	1,74	1,74
				26,57	27,30	31,67	31,67
Ceramic accessories				Price EUR/pcs.			
1. Half tile	432	6	-	2,12	2,33	2,52	2,52
2. Verge tile, left	64	2	3,4	12,61	13,85	15,31	15,31
3. Verge tile, right	64	2	3,4	12,61	13,85	15,31	15,31
4. Ventilation base tile LQ10	324	-	5.5	4,99	6,49	7,29	7,29
5. Ventilation tile LQ 25	128	4	-	14,56	14,91	15,80	15,80
Ridge tiles and accessories				Price EUR/pcs.			
6. Ridge tile LH	192	4	3	13,17	14,87	14,98	15,38
7. Closing plate LH	192	-	-	13,71	13,71	13,92	13,71
8. Hip starter LH	80	-	-	21,71	21,76	23,99	24,68
9. Hip cap tile, 3 axis	90	-	-	165,00	175,98	180,56	180,56
10. Hip cap tile, 4 axis	90	-	-	329,96	351,76	-	360,96
Roof outlet tiles				Price EUR/pcs.			
11. Ventilation outlet tile 110	8	-	-	173,72	173,72	173,72	173,72
12. Ventilation outlet tile 125	8	-	-	196,65	196,65	-	196,68
13. Ventilation outlet tile 150	8	-	-	236,02	236,02	236,02	-
14. Ventilation outlet tile 200	8	-	-	236,02	236,02	236,02	-
15. Antenna outlet set, max. 60 mm	8	-	-	147,51	147,51	147,51	147,59
16. Solar outlet set, max. 70 mm	8	-	-	161,63	161,63	161,63	-
17. Flue pipe outlet, 110/125 mm	8	-	-	147,80	147,80	147,80	147,82
Aluminium system accessories				Price EUR/pcs.			
18. Aluminium base tile	270	-	-	58,25	58,25	58,25	-





„RONA“ SEGMENT CUT

20,5 × 40 × 2,1 cm

Production Plant: Lenti
Weight/pallet: approx. 826 kg



					ENGOBED		
				natural red	antique engobed	copper red engobed	black matt engobed
Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)				
Base tile	324	6	19,8	1,46	1,50	1,50	1,74
				28,91	29,70	29,70	34,45
Ceramic accessories				Price EUR/pcs.			
1. Half tile	432	6	-	2,14	2,45	2,45	2,54
2. Verge tile, left	64	2	3,4	10,13	14,04	14,04	15,31
3. Verge tile, right	64	2	3,4	10,13	14,04	14,04	15,31
4. Ventilation base tile LQ10	324	-	5.5	4,99	6,49	6,49	7,29
5. Ventilation tile LQ 25	128	4	-	14,58	14,91	14,91	15,90
Ridge tiles and accessories				Price EUR/pcs.			
6. Ridge tile LH	192	4	3	13,17	14,87	14,87	15,38
7. Closing plate LH	192	-	-	13,71	13,71	13,71	13,71
8. Hip starter LH	80	-	-	21,71	21,76	21,76	24,68
9. Hip cap tile, 3 axis	90	-	-	165,00	175,98	175,98	180,56
10. Hip cap tile, 4 axis	90	-	-	329,96	-	351,76	360,96
Roof outlet tiles				Price EUR/pcs.			
11. Ventilation outlet tile 110	8	-	-	173,72	-	173,72	173,72
12. Ventilation outlet tile 125	8	-	-	196,65	-	196,65	196,65
13. Ventilation outlet tile 150	8	-	-	236,02	-	236,02	236,02
14. Ventilation outlet tile 200	8	-	-	236,02	-	-	236,02
15. Antenna outlet set, max. 60 mm	8	-	-	147,51	147,51	147,51	147,51
16. Solar outlet set, max. 70 mm	8	-	-	161,63	-	161,63	-
17. Flue pipe outlet, 110/125 mm	8	-	-	147,80	-	147,80	147,80
Aluminium system accessories				Price EUR/pcs.			
18. Aluminium base tile	270	-	-	58,25	58,25	58,25	58,25

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„RONA“ STRAIGHT CUT

20,5 × 40 × 2,1 cm

Production Plant: Lenti
Weight/pallet: approx. 888 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	ENGOBED copper red engobed	dark brown engobed	slate grey engobed	black matt engobed
Base tile	324	6	17,4	1,46	1,50	1,74	1,74	1,74
				25,40	26,10	30,28	30,28	30,28
Ceramic accessories				**Price EUR/pcs.**				
1. Half tile	432	6	-	2,12	2,45	2,54	2,54	2,54
2. Verge tile, left	64	2	3,4	10,13	14,04	15,31	15,31	15,31
3. Verge tile, right	64	2	3,4	10,13	14,04	15,31	15,31	15,31
4. Ventilation base tile LQ10	324	-	5.5	4,99	6,49	-	-	7,29
5. Ventilation tile LQ 25	128	4	-	14,56	14,91	15,80	15,80	15,80
Ridge tiles and accessories				**Price EUR/pcs.**				
6. Ridge tile LH	192	4	3	13,17	14,87	15,38	15,38	15,38
7. Closing plate LH	192	-	-	13,71	13,71	13,71	-	13,71
8. Hip starter LH	80	-	-	21,71	21,76	24,68	24,68	24,68
9. Hip cap tile, 3 axis	90	-	-	165,00	175,98	177,16	215,00	180,56
10. Hip cap tile, 4 axis	90	-	-	329,96	351,76	354,19	430,02	360,96
Roof outlet tiles				**Price EUR/pcs.**				
11. Ventilation outlet tile 110	8	-	-	173,72	173,72	-	-	173,72
12. Ventilation outlet tile 125	8	-	-	196,65	196,65	-	-	196,65
13. Ventilation outlet tile 150	8			236,02	236,02	-	-	236,02
14. Ventilation outlet tile 200	8	-	-	236,02	236,02	-	-	236,02
15. Antenna outlet set, max. 60 mm	8	-	-	147,51	147,51	-	-	147,51
16. Solar outlet set, max. 70 mm	8	-	-	161,63	161,63	-	-	161,63
17. Flue pipe outlet, 110/125 mm	8	-	-	147,80	147,80	-	-	147,80
Aluminium system accessories				**Price EUR/pcs.**				
18. Aluminium base tile	270	-	-	58,25	58,25	58,25	58,25	58,25



*RONA roof tiles are made to order in matte black, slate grey and dark brown, with a delivery time of 6 weeks.

General delivery and sales conditions are on SwissporTON. Also includes shipping charges. All prices are in EUR excluding VAT.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„BALANCE“

32,3 x 50,2 cm

Production Plant: Lenti
Weight/pallet: approx. 967 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red
Base tile	192	4	8,4	2,68
				22,51

Ceramic accessories					Price EUR/pcs.
1.	Half tile	112	4	-	10,51
2.	Verge tile, left	56	2	2,4	10,49
3.	Verge tile, right	56	2	2,4	10,49
4.	Double wave tile	96	4	2,4	14,42
5.	Ventilation tile LQ 37,5	128	4	-	12,16
6.	Ridge connection ventilation tile	128	4	3,7	4,04
7.	Ridge connection ventilation half tile	20	20	-	60,19
8.	Ridge connection ventilation verge tile, left	56	2	-	14,07
9.	Ridge connection ventilation verge tile, right	56	2	-	14,07
10.	Ridge connection ventilation double-wave tile	96	4	-	14,07
11.	Shed roof tile	30	30	3,7	61,91
12.	Shed roof half tile	25	25	-	94,46
13.	Shed roof verge tile, left	15	15	-	94,46
14.	Shed roof verge tile, right	15	15	-	94,46

Ridge tiles and accessories					Price EUR/pcs.
15.	Ridge tile LB	60	4	2,5	12,84
16.	Ridge tile LR	60	4	2,5	12,84
17.	Closing plate LB	400	400	-	9,79
18.	Closing plate LR	400	400	-	9,79
19.	Functional closing plate	54	54	-	71,11
20.	Hip starter LB	24	24	-	12,84
21.	Hip starter LR	24	24	-	12,84
22.	Hip starter, rounded LB	24	24	-	14,09
23.	Hip starter, shell-shape LB	15	15	-	69,43
24.	Hip starter, shell-shape LR	15	15	-	69,43
25.	Hip cap tile, 3 axis	30	30	-	151,35
26.	Hip cap tile, 4 axis	30	30	-	256,20

Roof outlet tiles					Price EUR/pcs.
27.	Ventilation outlet tile 110	8	-	-	142,46
28.	Ventilation outlet tile 125	8	-	-	163,39
29.	Ventilation outlet tile 150	8	8	-	178,30
30.	Ventilation outlet tile 200	8	8	-	178,30
31.	Antenna outlet set, max. 60 mm	8	8	-	133,25
32.	Solar outlet set, max. 70 mm	8	8	-	150,98
33.	Flue pipe outlet, 110/125 mm	8	8	-	132,66

Aluminium system accessories					Price EUR/pcs.
34.	Aluminium base tile	80	10	-	58,25

ENGOBED					
tuscany engobed	copper red engobed	dark brown engobed	slate grey engobed	black engobed	black matt engobed
3,20	2,87	2,96	3,20	3,20	3,20
26,88	24,11	24,86	26,88	26,88	26,88
-	10,82	10,87	11,55	11,55	11,55
12,14	11,10	11,21	12,14	12,14	12,14
12,14	11,10	11,21	12,14	12,14	12,14
-	14,51	14,56	15,83	15,83	15,83
13,05	12,27	12,31	13,05	13,05	13,05
-	4,23	4,23	4,70	4,70	4,70
-	60,35	61,91	62,04	62,04	62,04
-	14,56	14,98	16,07	16,07	16,07
-	14,56	14,98	16,07	16,07	16,07
-	14,56	14,98	16,07	16,07	16,07
-	60,35	60,35	62,04	62,04	62,04
-	96,76	96,76	100,57	100,57	100,57
-	96,76	96,76	100,57	100,57	100,57
-	96,76	96,76	100,57	100,57	100,57
13,66	12,92	12,92	13,66	13,66	13,66
-	12,92	12,92	13,66	13,66	13,66
-	10,02	10,02	11,17	11,17	11,17
-	10,02	10,02	11,17	11,17	11,17
-	68,72	70,94	72,78	-	70,94
13,66	12,92	12,92	13,66	13,66	13,66
-	12,92	12,92	13,66	13,66	13,66
-	14,37	14,37	15,10	15,10	15,10
-	71,57	71,57	72,51	72,51	72,51
-	71,57	71,57	72,51	72,51	72,51
202,18	170,82	139,52	202,18	202,18	202,18
-	341,46	279,09	287,08	287,08	287,08
-	141,61	179,65	187,97	187,97	187,97
-	162,46	200,77	209,33	209,33	209,33
-	178,89	220,80	230,21	230,21	230,21
-	178,89	220,80	230,21	230,21	230,21
-	141,45	141,45	145,12	145,12	145,12
-	159,18	159,18	161,21	161,21	161,21
-	141,45	141,45	145,12	145,12	145,12
-	58,25	58,25	58,25	58,25	58,25


1. 2. 4. 5.


6. 8. 11. 15.


16. 18. 19. 20.


21. 23. 24.

25. 27. 31. 33.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„RAPIDO“

32,3 X 50,2 cm

Production Plant: Lenti
Weight/pallet: approx. 905 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	natural red	ENGOBED: brick red engobed	copper red engobed	wine red engobed	dark brown engobed	slate grey engobed	black engobed	black matt engobed
Base tile	168	4	8,1	2,96	2,96	2,96	3,01	3,01	3,39	3,20	3,20
				23,98	23,98	23,98	24,38	24,38	27,46	25,92	25,92
Ceramic accessories				**Price EUR/pcs.**							
1. Half tile	112	5	-	6,68	6,94	6,98	7,01	7,01	7,81	7,34	7,34
2. Verge tile, left	64	2	2,4	10,96	11,25	11,25	11,43	11,43	12,92	12,27	12,27
3. Verge tile, right	56	2	2,4	10,96	11,25	11,25	11,43	11,43	12,92	12,27	12,27
4. Double wave tile	120	6	2,4	14,51	14,53	14,61	14,72	14,72	16,51	15,52	15,52
5. Ventilation tile LQ 37,5	100	5	-	12,25	12,27	12,33	12,56	12,56	13,79	13,03	13,03
6. Ridge connection ventilation tile	120	6	3,6	6,60	6,64	6,73	6,73	6,73	7,46	7,08	7,08
7. Ridge connection ventilation half tile	20	20	-	75,57	75,62	75,62	75,62	75,62	78,91	76,91	76,91
8. Ridge connection ventilation verge tile, left	56	2	-	15,19	15,21	14,98	15,27	15,27	17,26	16,33	16,33
9. Ridge connection ventilation verge tile, right	64	2	-	15,19	15,21	14,98	15,27	15,27	17,26	16,33	16,33
10. Ridge connection ventilation double-wave tile	120	6	-	6,60	6,64	6,73	6,73	6,73	7,46	7,08	7,08
11. Shed roof tile	30	30	3,6	60,52	60,54	60,54	60,54	60,54	63,13	61,55	61,55
12. Shed roof half tile	30	30	-	73,86	73,92	73,92	73,92	73,92	76,46	74,51	74,51
13. Shed roof verge tile, left	15	15	-	96,74	96,79	96,79	96,79	96,79	100,66	98,18	98,18
14. Shed roof verge tile, right	15	15	-	96,74	96,79	96,79	96,79	96,79	100,66	98,18	98,18
Ridge tiles and accessories				**Price EUR/pcs.**							
15. Ridge tile LB	60	4	2,5	12,84	12,89	12,92	12,92	12,92	13,66	13,66	13,66
16. Ridge tile LR	60	4	2,5	12,84	12,89	12,92	12,92	12,92	13,66	13,66	13,66
17. Closing plate LB	400	400	-	9,79	10,02	10,02	10,02	10,02	11,17	11,17	11,17
18. Closing plate LR	400	400	-	9,79	10,02	10,02	10,02	10,02	11,17	11,17	11,17
19. Functional closing plate	54	54	-	71,11	70,94	68,72	70,94	70,94	72,78	-	70,94
20. Hip starter LB	24	24	-	12,84	12,89	12,92	12,92	12,92	13,66	13,66	13,66
21. Hip starter LR	24	24	-	12,84	12,89	12,92	12,92	12,92	13,66	13,66	13,66
22. Hip starter, rounded LB	24	24	-	14,09	14,15	14,37	14,37	14,37	15,10	15,10	15,10
23. Hip starter, shell-shape LB	15	15	-	69,43	70,63	71,57	71,57	71,57	72,51	72,51	72,51
24. Hip starter, shell-shape LR	15	15	-	69,43	70,63	71,57	71,57	71,57	72,51	72,51	72,51
25. Hip cap tile, 3 axis	30	30	-	151,35	139,52	170,82	170,75	139,52	202,18	202,18	202,18
26. Hip cap tile, 4 axis	30	30	-	256,20	279,09	341,46	341,46	279,09	287,08	287,08	287,08
Roof outlet tiles				**Price EUR/pcs.**							
27. Ventilation outlet tile 110	8	-	-	180,82	176,26	176,26	176,26	176,26	176,26	176,26	176,26
28. Ventilation outlet tile 125	8	-	-	204,89	199,78	199,78	199,78	199,78	204,89	199,78	199,78
29. Ventilation outlet tile 150	8	8	-	239,69	239,69	239,69	239,69	239,69	245,81	239,69	239,69
30. Ventilation outlet tile 200	8	8	-	239,69	239,69	239,69	239,69	239,69	239,69	239,69	239,69
31. Antenna outlet set, max. 60 mm	8	8	-	145,01	145,01	145,01	145,01	145,01	145,01	145,01	145,01
32. Solar outlet set, max. 70 mm	8	8	-	162,83	162,83	162,83	162,83	162,83	162,83	162,83	162,83
33. Flue pipe outlet, 110/125 mm	8	8	-	148,44	148,44	148,44	148,44	148,44	148,44	148,44	148,44
Aluminium system accessories				**Price EUR/pcs.**							
34. Aluminium base tile	70	5	-	58,29	58,29	58,29	58,29	58,29	58,29	58,29	58,29



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„NOMINA“

32,3 X 50 cm

Production Plant: Lenti
Weight/pallet: approx. 998 kg



Base tile	pcs/pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	ENGOBED copper red engobed	ENGOBED dark brown engobed	ENGOBED slate grey engobed	ENGOBED black engobed	ENGOBED black matt engobed
Base tile	192	4	8,3	2,87	2,96	3,20	3,20	3,20
				23,82	24,57	26,56	26,56	26,56
Ceramic accessories				Price EUR/pcs.				
1. Verge tile, left	64	2	2,5	11,25	11,43	12,92	12,27	12,27
2. Verge tile, right	56	2	2,5	11,25	11,43	12,92	12,27	12,27
3. Double wave tile	120	6	2,5	14,61	14,72	16,51	15,52	15,52
4. Ventilation tile LQ 37,5	80	5	-	12,33	12,56	13,79	13,03	13,03
5. Ridge connection ventilation tile	96	6	3,6	6,73	6,73	7,46	7,08	7,08
6. Ridge connection ventilation verge tile, left	56	2	-	14,98	15,27	17,26	16,33	16,33
7. Ridge connection ventilation verge tile, right	64	2	-	14,98	15,27	17,26	16,33	16,33
Ridge tiles and accessories				Price EUR/pcs.				
8. Ridge tile LB	60	4	2,5	12,92	12,92	13,66	13,66	13,66
9. Ridge tile LR	60	4	2,5	12,92	12,92	13,66	13,66	13,66
10. Closing plate LB	400	400	-	10,02	10,02	11,17	11,17	11,17
11. Closing plate LR	400	400	–	10,02	10,02	11,17	11,17	11,17
12. Functional closing plate	54	54	-	68,72	70,94	72,78	-	70,94
13. Hip starter LB	24	24	-	12,92	12,92	13,66	13,66	13,66
14. Hip starter LR	30	30	-	12,92	12,92	13,66	13,66	13,66
15. Hip starter, rounded LB	24	24		14,37	14,37	15,10	15,10	15,10
16. Hip starter, shell-shape LB	15	15	-	71,57	71,57	72,51	72,51	72,51
17. Hip starter, shell-shape LR	15	15	-	71,57	71,57	72,51	72,51	72,51
18. Hip cap tile, 3 axis	30	30	-	170,82	139,52	202,18	202,18	202,18
19. Hip cap tile, 4 axis	30	30	-	341,46	279,09	287,08	287,08	287,08
Roof outlet tiles				Price EUR/pcs.				
20. Ventilation outlet tile 110	8	-	-	176,26	176,26	180,82	176,26	176,26
21. Ventilation outlet tile 125	8	-	-	199,78	199,78	199,78	199,78	199,78
22. Ventilation outlet tile 150	8	8	-	239,69	239,69	245,81	239,69	239,69
23. Ventilation outlet tile 200	8	8	-	239,69	239,69	239,69	239,69	239,69
24. Antenna outlet set, max. 60 mm	8	8	-	145,01	145,01	145,01	145,01	145,01
25. Solar outlet set, max. 70 mm	8	8	-	162,83	162,83	162,83	162,83	162,83
26. Flue pipe outlet, 110/125 mm	8	8	-	148,44	148,44	148,44	-	148,44
Aluminium system accessories				Price EUR/pcs.				
27. Aluminium base tile	70	5	-	58,29	58,29	-	58,29	58,29



1. 3. 4.



5. 20. 21.



24. 25. 26.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„GENEVO“

28,6 X 47,2 cm

Production Plant: Lenti
Weight/pallet: approx. 1 049 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)		ENGOBED		
				natural red	copper red engobed	dark grey matt engobed	slate grey engobed
Base tile	256	4	9,8	2,52	2,63	2,73	2,73
				24,70	25,77	26,75	26,75
Ceramic accessories				**Price EUR/pcs.**			
1. Verge tile, left	64	2	2,8	10,34	11,25	12,27	12,27
2. Verge tile, right	56	2	2,8	10,34	11,25	12,27	12,27
3. Ventilation tile LQ 34	112	5	-	11,34	12,33	13,03	13,03
4. Ridge connection ventilation tile	112	6	4	6,20	6,73	7,08	7,08
5. Ridge connection ventilation verge tile, left	56	2	-	13,76	14,98	16,33	16,33
6. Ridge connection ventilation verge tile, right	64	2	-	13,76	14,98	16,33	16,33
Ceramic accessories				**Price EUR/pcs.**			
7. Ridge tile LB	60	4	2,5	12,84	12,92	12,92	13,66
8. Ridge tile LR	60	4	2,5	12,84	12,92	12,92	13,66
9. Closing plate LB	400	400	-	9,79	10,02	10,02	11,17
10. Closing plate LR	400	400	-	9,79	10,02	10,02	11,17
11. Functional closing plate	54	54	-	71,11	68,72	-	72,78
12. Hip starter LB	24	24	-	12,84	12,92	12,92	13,66
13. Hip starter LR	24	24	-	12,84	12,92	12,92	13,66
14. Hip starter, rounded LB	24	24	-	14,09	14,37	-	15,10
15. Hip starter, shell-shape LB	15	15	-	69,43	71,57	-	72,51
16. Hip starter, shell-shape LR	15	15	-	69,43	71,57	-	72,51
17. Hip cap tile, 3 axis	30	30	-	151,35	170,82	139,52	202,18
18. Hip cap tile, 4 axis	30	30	-	256,20	341,46	-	287,08
Roof outlet tiles				**Price EUR/pcs.**			
19. Ventilation outlet tile 110	8	8	-	176,26	176,26	176,26	176,26
20. Ventilation outlet tile 125	8	8	-	204,89	199,78	199,78	204,89
21. Ventilation outlet tile 150	8	8	-	239,69	239,69	239,69	245,81
22. Ventilation outlet tile 200	8	8	-	239,69	239,69	239,69	239,69
23. Antenna outlet set, max. 60 mm	8	8	-	145,01	145,01	145,01	145,01
24. Solar outlet set, max. 70 mm	8	8	-	162,83	162,83	162,83	162,83
25. Flue pipe outlet, 110/125 mm	8	8	-	148,44	148,44	148,44	148,44

„NIVELO“

28,6 x 47,2 cm

Production Plant: Lenti
Weight/pallet: approx. 1 322 kg



Base tile	pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)		ENGOBED			
				natural red	brown matt engobed	light grey matt engobed	dark grey matt engobed	black matt engobed
Base tile	256	4	9,8	2,60	2,80	2,80	2,80	2,80
				25,48	27,44	27,44	27,44	27,44
Ceramic accessories				**Price EUR/pcs.**				
1. Half tile	-	-	-	6,70	7,30	7,30	7,30	7,30
2. Verge tile, left	64	2	2,8	11,30	12,30	12,30	12,30	12,30
3. Verge tile, right	56	2	2,8	11,30	12,30	12,30	12,30	12,30
4. Double wave tile	-	-	2,8	14,50	15,50	15,50	15,50	15,50
5. Ventilation tile LQ 34	112	5	-	12,30	13,00	13,00	13,00	13,00
6. Ridge connection ventilation tile	112	6	4,1	6,60	7,10	7,10	7,10	7,10
7. Ridge connection ventilation verge tile, left	64	2	-	15,00	16,30	16,30	16,30	16,30
8. Ridge connection ventilation verge tile, right	56	2	-	15,00	16,30	16,30	16,30	16,30
Ridge tiles and accessories				**Price EUR/pcs.**				
9. Ridge tile LN	64	2	2,5	12,80	13,70	13,70	13,70	13,70
10. Closing plate LN	0	0	-	10,30	10,50	10,50	10,50	11,70
11. Hip starter LN	56	2	-	12,80	13,70	13,70	13,70	13,70
12. Hip cap tile, 3 axis	112	5	-	151,40	202,20	202,20	202,20	202,20
Roof outlet tiles				**Price EUR/pcs.**				
13. Ventilation outlet tile 110	8	1	-	176,30	176,30	176,30	176,30	176,30
14. Ventilation outlet tile 125	8	1	-	209,80	209,80	209,80	209,80	209,80
15. Ventilation outlet tile 150	8	1	-	239,70	239,70	239,70	239,70	239,70
16. Ventilation outlet tile 200	8	1	-	251,70	251,70	251,70	251,70	251,70
17. Antenna outlet set, max. 60 mm	8	1	-	145,00	145,00	145,00	145,00	145,00
18. Solar outlet set, max. 70 mm	8	1	-	152,30	152,30	152,30	152,30	152,30
19. Flue pipe outlet, 110/125 mm	8	1	-	155,90	155,90	155,90	155,90	155,90

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„MAXIMA PRO“

39,9 X 39,7 cm

Production Plant: Widziszewo
Weight/pallet: approx. 888 kg



Base tile		pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	ENGOBED copper red engobed	ENGOBED slate grey engobed	ENGOBED black matt engobed	GLAZED black glazed
Base tile		240	4	9,5	4,21	4,21	4,21	4,66
					39,99	39,99	39,99	44,27
Ceramic accessories					**Price EUR/pcs.**			
1.	Half tile	160	4	-	8,33	8,33	8,33	11,15
2.	Verge tile, left	64	2	3	17,24	18,04	18,04	17,24
3.	Verge tile, right	72	2	3	17,24	18,04	18,04	17,24
4.	Double wave tile	64	4	3	17,24	18,04	18,04	17,24
5.	Ventilation tile LQ 35	56	4	-	21,76	21,76	21,76	21,76
6.	Ridge connection ventilation tile	144	4	3,3	6,14	7,01	7,01	6,14
7.	Ridge connection ventilation verge tile, left	64	2	-	30,98	30,98	30,98	30,98
8.	Ridge connection ventilation verge tile, right	64	2	-	30,98	30,98	30,98	30,98
9.	Shed roof tile	48	-	3,3	54,85	124,96	124,96	54,85
10.	Shed roof verge tile, left	8	-	-	111,34	111,34	111,34	111,34
11.	Shed roof verge tile, right	8	-	-	111,34	111,34	111,34	111,34
Ridge tiles and accessories								
12.	Ridge tile PT	60	-	2,5	17,76	19,88	19,88	20,67
13.	Functional closing plate	45	-	-	62,90	84,88	84,88	70,77
14.	Hip starter PT	20	-	-	101,16	81,54	81,54	120,18
15.	Hip starter, rounded PT	20	-	-	27,92	30,69	30,69	32,83
16.	Hip starter, shell-shape PT	12	-	-	58,99	58,99	58,99	72,51
17.	Hip cap tile, 3 axis	10	-	-	152,50	154,51	154,51	167,39
18.	Hip cap tile, 4 axis	30	-	-	290,47	325,33	325,33	334,80
Roof outlet tiles					**Price EUR/pcs.**			
19.	Ventilation outlet tile 150	-	-	-	-	-	-	228,99
20.	Ventilation outlet tile 200	8	-	-	228,99	-	-	294,80
21.	Antenna outlet set, max. 60 mm	8	-	-	165,23	185,03	185,03	165,23
22.	Solar outlet set, max. 70 mm	12	-	-	215,87	-	-	215,87
23.	Flue pipe outlet, 110/125 mm	8	-	-	250,18	280,19	280,19	250,18
Aluminium system accessories					**Price EUR/pcs.**			
24.	Aluminium base tile	84	-	-	56,54	56,54	56,54	56,54


2.


5.


22.


23.


24.





The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„TITANIA“

32,4 X 51,4 cm



Production Plant: Widziszewo
Weight/pallet: approx. 985 kg

Base tile		pcs/ pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)
Base tile		192	4	9,1
Ceramic accessories				
1.	Verge tile, left	28	2	2,5
2.	Verge tile, right	48	2	2,5
3.	Double wave tile	192	4	2,5
4.	Ventilation tile LQ 32	96	-	-
5.	Ridge connection ventilation tile	112	-	3,8
6.	Ridge connection ventilation verge tile, left	48	2	-
7.	Ridge connection ventilation verge tile, right	28	2	-
8.	Ridge connection ventilation double-wave tile	-	-	-
9.	Shed roof tile	14	-	3,8
10.	Shed roof verge tile, left	8	-	-
11.	Shed roof verge tile, right	8	-	-
Ridge tiles and accessories				
12.	Ridge tile PT	60	-	2,5
13.	Closing plate PT	-	-	-
14.	Functional closing plate	-	-	-
15.	Hip starter PT	20	-	-
16.	Hip starter, rounded PT	20	-	-
17.	Hip starter, shell-shape PT	12	-	-
18.	Hip cap tile, 3 axis	10	-	-
19.	Hip cap tile, 4 axis	30	-	-
Roof outlet tiles				
20.	Ventilation outlet tile 110	8	-	-
21.	Ventilation outlet tile 125	8	-	-
22.	Antenna outlet set, max. 60 mm	8	-	-
23.	Solar outlet set, max. 70 mm	-	-	-
24.	Flue pipe outlet, 110/125 mm	8	-	-
Aluminium system accessories				
25.	Aluminium base tile	-	-	-



ENGOBED		GLAZED			
copper red engobed	black matt engobed	brown glazed	slate grey glazed	black glazed	brown ICON glazed
6,16	6,60	7,48	7,48	7,48	7,48
56,06	60,06	68,07	68,07	68,07	68,07
Price EUR/pcs.					
18,46	20,91	22,53	22,53	22,53	22,53
18,46	20,91	22,53	22,53	22,53	22,53
18,46	20,91	22,53	22,53	22,53	22,53
20,37	22,80	24,22	24,22	24,22	24,22
10,02	10,02	11,46	11,46	11,46	11,46
29,19	30,77	30,77	30,77	30,77	30,77
29,19	30,77	30,77	30,77	30,77	30,77
-	-	30,77	-	-	-
10,61	11,08	11,08	11,08	11,08	11,08
20,16	20,32	20,32	-	20,32	20,32
20,16	20,32	20,32	-	20,32	20,32
Price EUR/pcs.					
17,76	19,88	20,67	20,67	20,67	20,67
61,38	61,38	69,06	69,06	69,06	69,06
-	84,88	-	-	-	-
101,16	-	120,18	120,18	120,18	120,18
27,92	30,69	32,83	32,83	32,83	-
58,99	58,99	72,51	72,51	72,51	72,51
152,50	154,51	167,39	167,39	167,39	167,39
290,47	-	334,80	334,80	334,80	334,80
Price EUR/pcs.					
147,51	190,84	190,84	190,84	190,84	190,84
169,21	212,53	212,53	212,53	212,53	212,53
143,36	151,04	-	151,04	151,04	151,04
-	-	169,93	-	-	-
143,38	151,04	151,04	151,04	151,04	151,04
Price EUR/pcs.					
58,25	58,25	58,25	58,25	58,25	-



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

„SIMPLA“

29,8 X 50 cm

Production Plant: Widziszewo
Weight/pallet: approx. 956 kg



Base tile	pcs/pallet	pcs/ minipack	Necessary (pcs/m², pcs/m)	ENGOBED slate grey engobed	ENGOBED black matt engobed	GLAZED slate grey glazed	GLAZED black glazed
Base tile	192	4	10,4	6,16	6,16	6,98	6,98
				64,06	64,06	72,59	72,59
Ceramic accessories				Price EUR/pcs.			
1. Half tile	128	4	-	14,21	-	14,28	14,28
2. Verge tile, left	72	2	2,9	20,91	-	21,71	21,71
3. Verge tile, right	64	2	2,9	20,91	20,91	22,53	22,53
4. Verge half tile, left	64	-	-	25,10	25,10	27,01	27,01
5. Verge half tile, right	64	-	-	25,10	25,10	27,01	27,01
6. Ventilation tile LQ 35	128	4	-	22,80	22,80	24,22	24,22
7. Ridge connection ventilation tile	128	4	3,8	10,02	-	11,46	11,46
8. Ridge connection ventilation verge tile, left	56	2	-	30,77	-	39,98	39,98
9. Ridge connection ventilation verge tile, right	56	2	-	30,77	-	39,98	39,98
Ridge tiles and accessories				Price EUR/pcs.			
10. Ridge tile PS	54	4	2,5	19,88	-	20,67	-
11. Closing plate PS	-	-	-	28,01	28,01	29,80	29,80
12. Functional closing plate	-	-	-	61,38	61,38	69,06	69,06
13. Hip starter PS	48	-	-	31,43	30,69	32,83	-
14. Hip cap tile, 3 axis	-	-	-	154,51	154,51	167,39	167,40
Roof outlet tiles				Price EUR/pcs.			
15. Ventilation outlet tile 110	8	-	-	190,84	190,84	248,09	248,09
Aluminium system accessories				Price EUR/pcs.			
16. Aluminium base tile	-	-	-	-	58,25	58,25	58,25


1.


2.


6.


7.


8.


10.


12.


13.


14.


15.


16.



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

Technical specifications for plain tiles

Category	Model	Size (width, length, thickness) [cm]	Covering width [mm]	Covering length [mm]	Minipackage [pcs]	Weight [kg/pcs]	Covering capacity [pcs/m^2]	Surface weight [kg/m^2]	Packaging [pcs/pallet]	Greutate Kg/ Palet	Covering capacity for verge tiles [pcs/rm]	Covering capacity for eave tiles [pcs/rm]	Covering capacity for shed roof tile [pcs/m]	Covering capacity for vent. base & vent.ridge connection tiles
Side interlocking plain tiles	„RÓNA" segment cut	20,5 x 40 x 2,1	180	240 - 280	6	2,6	19,8 - 23,1	54,6	324	826	3,9	-	-	-
	„RONA" straight cut	20,5 x 40 x 2,1	180	280 - 320	6	2,7	17,4 - 19,8	50,7	324	888	3,3	-	-	-
	„PROFIL " segment cut	20,5 x 40 x 2,1	180	265 - 305	6	2,5	18,2 - 21	48,4	324	804	3,5	-	-	-
CLASSIC	„CLASSIC" rounded cut	18 x 38 x 1,4	180	145 - 165	8	1,8	33,7 - 38,3	64,8	480	889	2 x 3,3	5,55	5,55	5,55
	„CLASSIC" segment cut	18 x 38 x 1,4	180	145 - 165	8	1,9	33,7 - 38,3	68	480	937	2 x 3,3	5,55	-	5,55
	„CLASSIC" straight cut	18 x 38 x 1,4	180	145 165	8	1,9	33,7 - 38,3	68	480	937	2 x 3,3	5,55	-	5,55
	„CLASSIC" pointed cut	18 x 38 x 1,4	180	145 165	8	1,7	33,7 - 38,3	61	480	841	2 x 3,3	5,55	-	5,55
AUSTRIAN BIBER	„AUSTRIAN BIBER" rounded cut	20 x 40 x 1,4	200	155 - 175	8	2,2	28,6 - 32,3	69,7	480	1110	-	5,55	-	-
	„AUSTRIAN BIBER" vienna cut	20 x 40 x 1,4	200	155 - 175	8	2,3	28,6 - 32,3	69,7	480	1110	-	5,55	-	-
CASTA	„CASTA" rounded cut	17 x 348 x 1,8	170	145 - 165	6	2,1	35,7 - 40,6	79,8	480	1008	-	5,9	-	-
	„CASTA" honeycomb cut	17 x 348 x 1,8	170	145 - 165	6	2,1	35,7 - 40,6	79,8	480	1008	-	5,9	-	-
KERKA	„KERKA " segment cut	20,5 x 40 x 2,1	180	265 - 305	6	2,5	18,2 - 21	48,4	324	804	3,5	-	-	-
	„KERKA" straight cut	20,5 x 40 x 2,1	180	280 - 320	6	2,7	17,4 - 19,8	50,7	324	888	3,3	-	-	-



Technical specifications for interlocking tiles

Model	Size [mm]	Covering width [mm]			Covering length [mm]			Minipackage [pcs]	Weight [kg/pcs]	Covering capacity [pcs/m²]		
		min.	avg.	max.	min.	avg.	max.			min.	avg.	max.
„BALANCE"	323×502	274	275	277	406	419	431	4	4,88	8,4	8,7	9,0
„NOMINA"	323×500	275	276	280	370	402	435	4	5,07	8,3	9,0	9,8
„GENEVO"	286x472	243	245	246	315	362	408	4	4	9,8	11,5	13
„NIVELO"	286x472	243	245	246	315	362	408	4	4,1	9,8	11,5	13
„RAPIDO"	325×495	277	278	280	410	425	440	4	5,22	8,1	8,5	8,8
„MAXIMA PRO"	329x397	300	300	300	310	330	350	4	3,7	9,5	10,1	10,8
„TITANIA"	325×515	260	262	265	382	403	425	4	5,00	9,0	9,5	10,1
„SIMPLA"	300×500	260	262	263	338	352	366	4	4,85	10,4	10,9	11,4

Surface weight [kg/m²]			Packaging [pcs/pallet]	Pallet weight [kg/pallet]	Verge tile, left covering width [mm]	Right verge tile covering width [mm]	Double waved tile cover width [mm]	Half tile cover width [mm]	Covering length of the half-pitched (saddle) roof [mm	ave (first) batten distance* [mm]	Covering capacity for the covering length [pcs/m]	Covering capacity for the covering width [pcs/m]
min.	avg.	max.										
41,0	42,5	43,9	192	967	265	260	282	202	290	381	2,4	3,6
48,9	53,1	57,8	192	998	200	249	276	-	-	395	2,5	3,6
40,2	46,2	52,3	256	-	175	215	245	-	-	353	2,5	4,1
41	47,2	53,3	256	-	175	215	245	122	-	353	2,5	4,1
42,1	43,7	45,7	168	905	210	255	237	135	280	386	2,4	3,6
35,2	37,4	39,9	240	888	250	280	269	150	230	314	3,0	3,3
45,0	47,5	50,5	192	985	235	250	263	-	275	403	2,5	3,8
50,4	52,9	55,3	192	956	200	250	-	132	275	404	2,9	3,9

*The given distance can be changed and corresponds with a 7.5 cm eave overhang.



ACCESSORIES



Aluminium roof access system

		natural red	engobed 1	engobed 2	glazed	ICON glazed
1.	Single step, aluminium	52,71	52,71	52,71	52,71	89,80
2.	Short aluminium walking grid, 46x25 cm	109,54	109,54	161,44	161,44	161,44
3.	Long aluminium walking grid, 80x25 cm	135,60	135,60	135,60	135,60	195,12
4.	Extendable aluminium walking grid, 150x25 cm, 3 support/grid	195,92	195,92	195,92	195,92	195,92
5.	Aluminium snow guard grid support, cc. 1,25 pcs/m	26,60	26,60	26,60	26,60	41,09
6.	Aluminium snow guard grid, 150 cm with integrated connector	41,09	41,09	39,87	41,09	41,09
7.	Aluminium log bracket, Ø14 cm, cc. 1,25 pcs/m	26,60	26,60	26,60	26,60	26,60
8.	Solar support, galvanized (aluminium base tile and stormclip sold separately)	49,56				

ENGOBED 1

copper red engobed
wine red engobed
brown engobed
dark brown engobed
brown matt engobed
light grey engobed
dark grey mat engobed

ENGOBED 2

slate grey engobed
black mat engobed
black engobed



1. 2. 3. 4. 5. 6. 7.

Universal roof access system

		Price (EUR)
1.	Walking grid for interlocking tiles, 40 cm complete package, with 2 pcs of support1 (in 5 colors)	156,50
2.	Walking grid for interlocking tiles, 60 cm complete package, with 2 pcs of support1 (in 5 colors)	166,50
3.	Walking grid for interlocking tiles, 80 cm complete package, with 2 pcs of support1 (in 5 colors)	176,20
4.	Walking grid for interlocking tiles, 100 cm complete package, with 2 pcs of support1 (in 5 colors)	186,00
5.	Walking grid for interlocking tiles, 200 cm complete package, with 3 pcs of support1 (in 5 colors)	303,80
6.	Walking grid for plain tiles, 40 cm complete package, with 2 pcs of support (red/black)	156,52
7.	Walking grid for plain tiles, 60 cm complete package, with 2 pcs of support (red/black)	166,52
8.	Walking grid for plain tiles, 80 cm complete package, with 2 pcs of support (red/black)	176,21
9.	Walking grid for plain tiles, 100 cm complete package, with 2 pcs of support (red/black)	186,00
10.	Walking grid for plain tiles, 200 cm complete package, with 3 pcs of support (red/black)	303,69
11.	Walking grid connector set (in pair) (in 5 color)	11,00
12.	Snow guard grid support for interlocking tiles, complete package1 (in 5 colors)	36,30
13.	Snow guard grid support for plain tiles, complete package (red/black)	26,58
14.	Snow guard grid, 3 meter long (in 5 color)	65,63
15.	Snow guard grid connector set (in pair) (in 5 colors)	1,63
16.	Safety hook for interlocking tiles1 (in 5 colors)	91,80
17.	Safety hook for plain tiles (red/black) (in 5 colors)	91,77



1-2. 6-7. 13-14. 17.

Other roof safety system

		Price (EUR)
1.	Snow stop nose for SIMPLA, TITANIA, MAXIMA PRO (red/dark red/black)	174,07
2.	Snow stop nose for BALANCE, RAPIDO, NOMINA, GENEVO, NIVELO (red/copper red/wine red/dark brown/slate grey/black)	87,10
3.	Snow stop nose for plain tiles (red/black)	87,07
4.	Solar support set, for 30,40,50 mm battens, for natural red and engobed interlocking tiles*	37,34
5.	Solar support set, for 30,40,50 mm battens, for glazed interlocking tiles*	39,60
6.	Solar support set, for 30,40,50 mm battens, for ICON glazed interlocking tiles*	52,68
7.	Solar support set mounted in a board, for natural red and engobed interlocking tiles*	37,34
8.	Solar support set mounted in a board, glazed interlocking tiles*	39,60
9.	Solar support set mounted in a board, ICON glazed interlocking tiles*	52,68

*The set contains: 1 pcs of solar support and 1 pcs of ventilation tile. The set is not available for SIMPLA tile.

The prices of the marked products are for whole package, the product can only be ordered per box.

Ridge tile fixings

		pcs / mini-pack	Price (EUR)
1.	Aluminium ridge clip (red/black)	30	11,48
2.	Sealing headed screw for hip starters and hip caps (red/black)	100	1,90
3.	Ridge batten support for 30/50 mm batten	25	1,95
4.	FIRSTFIX ridge clip, stainless steel, for interlocking tiles1	30	11,48
5.	FIRSTFIX wire, universal	1020	0,61
6.	FIRSTFIX fixing set, universal, for hip starters and hip caps	4	18,65



1. 3. 4. 5. 6.

Roof tile fixings

		pcs / mini-pack	Price (EUR)
1.	Stainless steel screw with EPDM sealing, 50, 60, 70 mm length 1	100	71,72
2.	Clip and wire for cutted tiles 7-22 mm	50	99,24
3.	Mount-on stormclip, aluzinc, for interlocking tiles, for 30/50 , 40/50, 40/60 mm battens 2	250	174,07
4.	Universal, stormclip for shed roof tiles and along the eave	100	69,62
5.	Mount-on stormclip, for 30/50 batten, for plain and side interlocking plain tiles	200	139,26
6.	Mount-on stormclip, for 40/60 batten, for plain and side interlocking plain tiles	100	69,62
7.	Storm clip for ridge cap	250	174,07



2. 3. 4. 5. 6-7. 8.

Screw lengths for different roof tile models

Length: 50 mm	BALANCE
	TITANIA
	CLASSIC
	PROFIL
	RÓNA
	KERKA
	AUSTRIAN BIBER
Length: 60 mm	SIMPLA
	MAXIMA PRO
Length: 70 mm	NOMINA
	RAPIDO
	GENEVO
	NIVELO

The prices of the marked products are for whole package, the product can only be ordered per box.

Other accessories

		pcs / mini-pack	Price (EUR)
1.	Ridge and hip roll, PP, cc. 100 cm^2 ventilation cross-section, 5 m/roll, 220 mm width (red/black)	4	78,28
2.	Ridge and hip roll, PP, cc. 160 cm^2 ventilation cross-section, 5 m/roll, 310 mm width (red/brown/grey/black)	4	78,28
3.	Ridge and hip roll, ALU, cc. 150 cm^2 ventilation cross-section, 5 m/roll, 220 mm width (red/black)	4	78,28
4.	Ridge and hip roll, ALU, cc. 150 cm^2 ventilation cross-section, 5 m/roll, 300 mm width (red/brown/black)	4	78,28
5.	Abutment roll, aluminium, 5 m/roll, 300 mm width (red/brown/grey/black)		63,96
6.	Abutment roll, aluminium, 5 m/roll, 450 mm width (red/brown/grey/black)		206,56
7.	Abutment roll, PiB, 5 m/roll, 300 mm width (red/grey/black)		105,02
8.	Abutment roll, PiB, 5 m/roll, 450 mm width (red/grey/black)		237,53
9.	Aluminium eave comb, 5 m (red/black)	20	33,19
10.	Aluminium eave mesh, 5 m (red and black)	5	12,56
11.	Flexible pipe for SIGNUM 3.0 110 and 125 sizes		26,65
12.	Flexible pipe, 150 mm diameter		29,36
13.	Flexible pipe, 200 mm diameter		29,36
14.	Underlay connection, max. 200 mm diameter	12	33,35
15.	Roof light window, 45x55 cm	10	553,57
16.	Roof exit window	9	615,87
17.	Insulated roof exit window, 55x75 cm, (ENEV standard) with integrated connector and frame	6	940,02
18.	Transparent tile (crystal glass)	40	65,17
19.	Repair paint, color matching with engobes and glazes, 250 ml	1000	25,91



2. 4. 5-6. 9. 10.



11. 12-13. 15. 16.



The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

UNIVERSAL ACCESSORIES FOR swissporTON TILES

Above rafter insulation

		Rolling	Edge design	Pieces/ mini-pack	Necessary (pcs/m², pcs/m)	Price (EUR)
1.	swisspor TETTO Classic 80, 2400x1200 mm (2,84 m²)	Double-sided lamination with a fiberglass layer.	Tongue-and-groove joint with edge profiling	30	0,35	The price of PIR insulation products changes frequently due to fluctuations in the cost of the raw materials used. Please always request a personalized quote from your swisspor contact person, tailored to your specific needs.
2.	swisspor TETTO Classic 100, 2400x1200 mm (2,84 m²)			24	0,35	
3.	swisspor TETTO Classic 120, 2400x1200 mm (2,84 m²)			20	0,35	
4.	swisspor TETTO Classic 140, 2400x1200 mm (2,84 m²)			18	0,35	
5.	swisspor TETTO Classic 160, 2400x1200 mm (2,84 m²)			15	0,35	
6.	swisspor TETTO Classic 180, 2400x1200 mm (2,84 m²)			14	0,35	
7.	swisspor TETTO Classic 200, 2400x1200 mm (2,84 m²)			12	0,35	
8.	swisspor TETTO Classic Difuplan 80, 2362x1012 mm (2,35 m²)	Double-sided lamination with a fiberglass layer and a roof diffusion membrane on the top side.		16	0,43	
9.	swisspor TETTO Classic Difuplan 100, 2362x1012 mm (2,35 m²)			12	0,43	
10.	swisspor TETTO Classic Difuplan 120, 2362x1012 mm (2,35 m²)			10	0,43	
11.	swisspor TETTO Classic Difuplan 140, 2362x1012 mm (2,35 m²)			9	0,43	
12.	swisspor TETTO Classic Difuplan 160, 2362x1012 mm (2,35 m²)			8	0,43	
13.	swisspor TETTO Classic Difuplan 180, 2362x1012 mm (2,35 m²)			7	0,43	
14.	swisspor TETTO Classic Difuplan 200, 2362x1012 mm (2,35 m²)			6	0,43	
15.	swisspor TETTO Classic Difuplan 220, 2362x1012 mm (2,35 m²)			5	0,43	
16.	swisspor TETTO Classic Difuplan 240, 2362x1012 mm (2,35 m²)			5	0,43	
17.	swisspor TETTO Alu Difuplan 80, 2362x1012 mm (2,35 m²)	Double-sided lamination with aluminum foil and a roof diffusion membrane on the top side.		16	0,43	
18.	swisspor TETTO Alu Difuplan 100, 2362x1012 mm (2,35 m²)			12	0,43	
19.	swisspor TETTO Alu Difuplan 120, 2362x1012 mm (2,35 m²)			10	0,43	
20.	swisspor TETTO Alu Difuplan 140, 2362x1012 mm (2,35 m²)			9	0,43	
21.	swisspor TETTO Alu Difuplan 160, 2362x1012 mm (2,35 m²)			8	0,43	
22.	swisspor TETTO Alu Difuplan 180, 2362x1012 mm (2,35 m²)			7	0,43	
23.	swisspor TETTO Alu Difuplan 200, 2362x1012 mm (2,35 m²)			6	0,43	
24.	swisspor TETTO Alu Difuplan 220, 2362x1012 mm (2,35 m²)			5	0,43	
25.	swisspor TETTO Alu Difuplan 240, 2362x1012 mm (2,35 m²)			5	0,43	
26.	swisspor TETTO Alu 80, 2400x1200 mm (2,84 m²)	Double-sided lamination with aluminum foil.		30	0,35	
27.	swisspor TETTO Alu 100, 2400x1200 mm (2,84 m²)			24	0,35	
28.	swisspor TETTO Alu 120, 2400x1200 mm (2,84 m²)			20	0,35	
29.	swisspor TETTO Alu 140, 2400x1200 mm (2,84 m²)			18	0,35	
30.	swisspor TETTO Alu 160, 2400x1200 mm (2,84 m²)			15	0,35	
31.	swisspor TETTO Alu 180, 2400x1200 mm (2,84 m²)			14	0,35	
32.	swisspor TETTO Alu 200, 2400x1200 mm (2,84 m²)			12	0,35	

Specifications		swisspor TETTO Classic		swisspor TETTO Alu	
Description		PUR / PIR hardfoam board		PUR / PIR hardfoam board	
Board Size (Difuplan)	gross	2362×1012 mm (2,39 m²)		2362×1012 mm (2,39 m²)	
	net	2350×1000 mm (2,35 m²)		2350×1000 mm (2,35 m²)	
Board Size	gross	2400×1200 mm (2,88 m²)		2400×1200 mm (2,88 m²)	
	net	2388×1188 mm (2,84 m²)		2388×1188 mm (2,84 m²)	
Thermal conductivity coefficient		80 - 100 mm	λ = 0,025 W / m K	80 - 240 mm	λ = 0,022 W / m K
		≥ 120 mm	λ = 0,024 W / m K		
Compressive strength		100 kPa (10 t /m²)		100 kPa (10 t /m²)	
Vapor diffusion resistance		40 (μ - value)		200 (μ - value)	
Density		30 kg / m³		30 kg / m³	
Side structure		Tongue and groove in every side		Tongue and groove in every side	
Fire resistance class		E		E	
Weight / board		approx. 8,5 - 15,6 kg		approx. 7,8 - 14,8 kg	

System accessories

		pieces/pallet	pieces/ pack	Price (EUR)
1.	PIR screw 165	-	50	69,97
2.	PIR screw 225	-	50	113,88
3.	PIR screw 255	-	50	134,37
4.	PIR screw 275	-	50	134,37
5.	PIR screw 302	-	50	167,88
6.	PIR screw 335	-	50	195,54
7.	PIR screw 365	-	50	212,46
8.	PIR screw 397	-	50	234,57
9.	PUR foam	120	-	29,61
10.	Screw guide	-	100	208,91


10.

The prices of the marked products are for whole package, the product can only be ordered per box.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

Rain gutter system and accessories

		280/80 steel	333/100 steel	280/80 aluminium	333/100 aluminium
Gutters and accessories		**Price EUR/pcs.**			
1.	Rain gutter, 2 m	19,52	22,53	29,68	34,18
2.	Rain gutter, 4 m	37,77	43,72	57,60	66,65
3.	End cap, universal	6,11	6,21	6,11	6,21
4.	End cap, with rubber	8,35	8,54	-	-
5.	Gutter joiner	13,52	13,90	-	-
6.	Dilation filler with edge and cover plate	50,43	52,29	59,13	66,09
7.	Dilation filler (without paint)	31,00	32,81	39,72	46,47
8.	Inner corner	22,58	21,87	36,59	37,50
9.	Outer corner	22,58	21,87	36,59	37,50
10.	Gutter bracket (steel: 30 x 4 mm, aluminium: 28 x 7 mm)	4,80	5,08	8,33	8,82
11.	Fascial board bracket	6,37	6,47	-	-
12.	Gutter outlet for 80 drain pipes	10,40	11,90	20,94	22,37
13.	Gutter outlet for 100 drain pipes	10,40	11,90	20,94	22,37
14.	Sheet plate, 1 x 2 m (thickness, steel: 0,5 mm, aluminium: 0,5 mm)	62,14	-	87,02	-
15.	Coil plate, 1 x 33 m	644,09	-	1239,37	-
16.	Flat eaves flashing 0,2 x 2 m	72,3	-	119	-
Downpipes and accessories		**Price EUR/pcs.**			
17.	Drain pipe, 1 m	10,96	13,22	14,74	15,97
18.	Drain pipe, 3 m	29,66	35,40	41,67	43,93
19.	Elbow, 42°	9,58	10,45	14,82	15,67
20.	Elbow, 72	10,02	11,08	16,39	17,26
21.	Skew tee with 80 connection pipe	49,53	-	73,57	-
22.	Skew tee with 100 connection pipe	-	49,84	-	73,57
23.	Drain pipe adapter	13,52	14,34	13,52	14,34
24.	Pipe with skirt	25,05	26,44	25,05	26,44
25.	Downspout offset	26,86	28,89	26,86	28,89
26.	Rainwater flap	36,04	37,77	64,02	66,94
27.	Water catch box	219,65	233,65	240,17	257,03
28.	Drain pipe cap 115	6,73	6,75	8,59	8,63
29.	Drain pipe cap 150	-	12,56	-	12,56
30.	Standpipe with cleaning open, 1 m	163,73	155,33	-	-
31.	Drain pipe filter	18,91	18,91	-	-
32.	Drain pipe clamp	4,59	4,89	7,88	7,88
33.	Standpipe clamp	11,48	11,48	11,48	11,48

red	RAL 8004	
wine red	RAL 3009	
dark brown	RAL 8019	
slate gery	RAL7016	
black	RAL 9005	


1.


3.


4.


5.


7.


8.


9.


10.


11.


12.


17.


19.


20.


21.


22.


23.


24.


25.


26.


27.


28.


30.


31.


32.

Universal accessories

		Price (EUR)
1.	Rainwater drain foil 30m x 175mm	15,27
2.	Rivet (red, wine red, dark brown, slate grey, black)	0,30
3.	Drain pipe clamp holder for insulation S80-120	38,45
4.	Drain pipe clamp holder for insulation S120-160	40,27
5.	Drain pipe clamp holder for insulation S160-200	42,43
6.	Drain pipe clamp holder for insulation S200-240	45,11
7.	Drain pipe clamp holder for insulation S200-320	58,04
8.	Threaded stem 140 mm	0,78
9.	Threaded stem 200 mm	1,27
10.	Threaded stem 250 mm	1,55
11.	Threaded stem 300 mm	3,15
12.	Dowels for 140-s screw	0,47
13.	Dowels for 200-s screw	0,47
14.	Dowels for 250-s screw	0,51
15.	Thermo stop	13,01
16.	Cover cap for drain tube clamp	1,58
17.	Silicone Glue	20,44
18.	Repair paint (red, wine red, dark brown, slate grey, black)	10,94


3.

8.


9.


10.


11.


13.


14.


15.


16.


17.


19.

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

Roof foils

CORE, BASIC, PRO and ULTRA

Solutions for a secure and vapor-permeable layer.

CORE®



Three layered vapor permeable roof foil without integrated adhesive tape. Suitable for unsupported and for free overlapping underlayment.

127,31 EUR/roll

1,70 EUR/m²	120 g/m²

Dimensions / packaging

width	length
1,5 m	50 m

24 pcs/packet

BASIC®



Three layered vapor permeable PP (polypropylene) roof foil with two integrated adhesive tape. Suitable for windproof, unsupported and for free overlapping underlayment.

218,86 EUR/roll

2,92 EUR/m²	150 g/m²

Dimensions / packaging

width	length
1,5 m	50 m

24 pcs/packet

PRO®



Four layered vapor permeable PP (polypropylene) roof foil with two integrated adhesive tape. Suitable for watertight, windproof, unsupported and for free overlapping underlayment.

334,25 EUR/roll

4,46 EUR/m²	210 g/m²

Dimensions / packaging

width	length
1,5 m	50 m

15 pcs/packet

ULTRA®



Three layered vapor permeable and weldable roof foil. The integrated adhesive tape gives temporary fixing for the duration of the welding. Suitable for waterproof underlayment.

397,91 EUR/roll

10,61 EUR/m²	360 g/m²

Dimensions / packaging

width	length
1,5 m	25 m

20 pcs/packet

It is important to compare which underlayment construction is required for different roof pitch angles. The swissporTON roofing membranes provide a high level of security even on low-pitch roofs without the need for costly underlayment construction. In our overview, you can find for each swisspor model which underlayment can be used depending on the roof pitch. Thanks to the advanced technology of swissporTON roof tile models and the high-quality swissporTON underlayment membranes, the investment – in terms of price/performance ratio – pays off over many years of use.

swissporTON ceramic roof tile range	CORE Unsupported underlayment	BASIC Windproof underlayment	PRO Watertight underlamyent	ULTRA Waterproof underlayment
CLASSIC	≥ 24°	≥ 22°	≥ 18°	≥ 10°
CASTA	≥ 24°	≥ 22°	≥ 18°	≥ 10°
AUSTRIAN BIBER	≥ 24 °	≥ 22 °	≥ 18 °	≥ 10 °
KERKA	≥ 24°	≥ 22°	≥ 18°	≥ 10°
PROFIL	≥ 24 °	≥ 22 °	≥ 18 °	≥ 10 °
RONA	≥ 24 °	≥ 22 °	≥ 18 °	≥ 10 °
BALANCE	≥ 16 °	≥ 14 °	≥ 12 °	≥ 10 °
RAPIDO	≥ 18 °	≥ 16 °	≥ 14 °	≥ 10 °
NOMINA	≥ 18 °	≥ 16 °	≥ 14 °	≥ 10 °
GENEVO	≥ 18 °	≥ 16 °	≥ 14 °	≥ 10 °
NIVELO	≥ 18 °	≥ 16 °	≥ 14 °	≥ 10 °
MAXIMA PRO	≥ 16 °	≥ 14 °	≥ 12 °	≥ 10 °
TITANIA	≥ 16 °	≥ 14 °	≥ 12 °	≥ 10 °
SIMPLA	≥ 18 °	≥ 16 °	≥ 14 °	≥ 10 °

Components for the swissporTON underlays:

	„NKS" seam adhesive tape - to seal transverse seams (25 m /roll) 50 mm x 25 m	12 roll/ box	288 pcs/ packet	24,41 EUR/roll
	„SKL" adhesive – for foil connections approx. 19 m glue/tube	20 roll/ box	1200 pcs/ packet	21,15 EUR/tube
	UAB connection tape – for sealing connections for example at chimney, 25 cm wide 25 cm x 5 m	4 roll/ box	240 pcs/ packet	30,90 EUR/roll
	NDS nail sealing tape (butyl) 10 m/roll 50 mm x 10 m	12 roll/ box	396 pcs/ packet	30,90 EUR/roll
	NDM nail sealing mastic (polyurethane), 1 000 ml approx. 50 lm counter-batten / 10 tube	10 roll/ box	240 pcs/ packet	31,24 EUR/tube
	NDB nail sealing tape (polyethylene) 60 mm x 30 m	8 roll/ box	96 pcs/ packet	14,63 EUR/roll

	QSM welding liquid (1 l/box - approx. 1 l is for 200 m²)	6 pcs/ box	120 pcs/ packet	39,04 EUR/pcs
	QSM -bottle with brush 500 ml	1 pcs/ box	50 pcs/ packet	76,46 EUR/pcs
	Hot air gun	1 pcs/ box	10 pcs/ packet	452,27 EUR/pcs
	KKS counter-batten tape – for waterproof underlayment, 30 cm wide 30 cm x 20 m	3 roll/ box	36 pcs/ packet	39,04 EUR/roll
	External corner – for waterproof underlayment	1 pcs/ box	1000 pcs/ packet	9,77EUR/ pcs

Underlay's components

	CORE	BASIC	PRO	ULTRA
NKS seam adhesive tape	✓	✓	–	–
SKL adhesive – for foil connections	✓	✓	✓	✓
NDS adhesive tape sealing perforations nails	✓	✓	✓	✓
NDM nail sealing mastic	✓	✓	✓	–
UAB connection tape	✓	✓	✓	–
NDB nail sealing tape	✓	✓	✓	–
QSM welding liquid	–	–	–	✓
Hot air gun	–	–	–	✓
KKS counter-batten tape	–	–	–	✓
External corner	–	–	–	✓
UNIVERSAL Underlay connection adapter	✓	✓	✓	–

The General Terms and Conditions of Delivery and Sale are available on our website.
All prices are stated in EUR, excluding VAT and including delivery costs.

NOTES

swissporton



swissporTON

swissporTON.bg



swisspor Hungary SEE Kft.
H-8960 Lenti Cserépgyár u. 1.
Telefon: +35 9878573295
E-mail: info@swisspor.bg
Website: www.swissporTON.bg